

**SUPERIOR** BARREL AND DRUM CO. INC.  
P.O. BOX 741 • GLASSBORO, NJ 08028 • (609) 881-5866

# SB 61493

NAME Stem Bros

ADDRESS \_\_\_\_\_

CITY Millford ? STATE NJ ZIP \_\_\_\_\_

DATE 6-14-93

CUSTOMER PO \_\_\_\_\_

QUANTITY	DESCRIPTION	PRICE	AMOUNT
25	MTY Drums		

REC'D. Ball R. H.

### EMPTY DRUM CERTIFICATION

I hereby certify that these drums are "empty" as that term is defined in the National Environmental Protection Agency regulations, 40 CFR 261.7\*, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29.\*\*

Print Name \_\_\_\_\_

Signature Bob Weaver

\*With regard to most regulated residues, EPA's 40 CFR 261.7 says:

"A container... is empty if:

(I) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, e.g., pouring, pumping, and aspirating.

and

(II) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container..."

EPA has explained this rule, saying that "one inch of waste material is an overriding constraint and may remain in an empty container only if it cannot be removed by normal means. The rationale for this provision is that there are certain tars and other extremely viscous materials that will remain in the container even after the container is emptied by normal means."

For residues of products specifically listed by name in 40 CFR 261.33(e), EPA says the container is empty only "if the container... has been triple-rinsed using a solvent capable of removing" the product, or has been cleaned by another method shown to achieve equivalent removal.

\*\*DOT's 49 CFR 173.29 says that all openings on the empty container must be closed, and that all markings and labels must be in place as if the drum were full of its original contents. A DOT shipping paper is not required for transportation of a drum for reconditioning via contract or private motor carrier. DOT placarding is not required for vehicles carrying empty containers.

"DEALER IN STEEL DRUMS"

437421





"DEALER IN STEEL DRUMS"

P.O. BOX 741 • GLASSBORO, NJ 08028 • (609) 881-5866

NAME stem Bros

**ADDRESS**

CITY Willard STATE N.J. ZIP 08094

DATE ~~12/4/97~~ 12/4/97

**CUSTOMER PO**

[illegible]

REC'D.

# EMPTY DRUM CERTIFICATION

I hereby certify that these drums are "empty" as that term is defined in the National Environmental Protection Agency regulations, 40 CFR 261.7\*, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29.\*\*

Print Name Bob Weaver

Signature John Weaver

**\*With regard to most regulated residues, EPA's 40 CFR 261.7 says:**

"A container... is empty if:

(l) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, e.g., pouring, pumping, and aspirating.

and


**(II) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container. . ."**

EPA has explained this rule, saying that "one inch of waste material is an overriding constraint and may remain in an empty container only if it cannot be removed by normal means. The rationale for this provision is that there are certain tars and other extremely viscous materials that will remain in the container even after the container is emptied by normal means."

For residues of products specifically listed by name in 40 CFR 261.33(e), EPA says the container is empty only "if the container...has been triple-rinsed using a solvent capable of removing" the product, or has been cleaned by another method shown to achieve equivalent removal.

**\*\*DOT's 49 CFR 173.29 says that all openings on the empty container must be closed, and that all markings and labels must be in place as if the drum were full of its original contents. A DOT shipping paper is not required for transportation of a drum for reconditioning via contract or private motor carrier. DOT placarding is not required for vehicles carrying empty containers.**

## "DEALER IN STEEL DRUMS"



**SUPERIOR** BARREL AND DRUM CO. INC.  
P.O. BOX 741 • GLASSBORO, NJ 08028 • (609) 881-5866

NAME Stam Brad.

ADDRESS \_\_\_\_\_

CITY Millford STATE N.J. ZIP \_\_\_\_\_

DATE 6/2/87

CUSTOMER PO \_\_\_\_\_

QUANTITY	DESCRIPTION	PRICE	AMOUNT
31	Qty Steel Drums Damaged	N-C	

REC'D. [Signature]

### EMPTY DRUM CERTIFICATION

I hereby certify that these drums are "empty" as that term is defined in the National Environmental Protection Agency regulations, 40 CFR 261.7\*, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29.\*\*

Print Name Lillian Bennett

Signature Lillian Bennett

\*With regard to most regulated residues, EPA's 40 CFR 261.7 says:

"A container . . . is empty if:

(I) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, e.g., pouring, pumping, and aspirating.

and

(II) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container. . ."


EPA has explained this rule, saying that "one inch of waste material is an overriding constraint and may remain in an empty container only if it **cannot be removed** by normal means. The rationale for this provision is that there are certain tars and other extremely viscous materials that will remain in the container even after the container is emptied by normal means."

For residues of products specifically listed by name in 40 CFR 261.33(e), EPA says the container is empty only "if the container . . . has been triple-rinsed using a solvent capable of removing" the product, or has been cleaned by another method shown to achieve equivalent removal.

\*\*DOT's 49 CFR 173.29 says that all openings on the empty container must be closed, and that all markings and labels must be in place as if the drum were full of its original contents. A DOT shipping paper is not required for transportation of a drum for reconditioning via contract or private motor carrier. DOT placarding is not required for vehicles carrying empty containers.

"DEALER IN STEEL DRUMS"

#SB00111998



**SUPERIOR** BARREL AND DRUM CO. INC.  
P.O. BOX 741 • GLASSBORO, NJ 08028 • (609) 881-5866

NAME Item Bros

ADDRESS \_\_\_\_\_

CITY Milford STATE NJ ZIP \_\_\_\_\_DATE 11-19-98

CUSTOMER PO \_\_\_\_\_

QUANTITY	DESCRIPTION	PRICE	AMOUNT
10	my steel drums removed		

REC'D

**EMPTY DRUM CERTIFICATION**

I hereby certify that these drums are "empty" as that term is defined in the National Environmental Protection Agency regulations, 40 CFR 261.7\*, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29\*\*

Print Name Patricia MortensenSignature Patricia Mortensen

\*With regard to most regulated residues, EPA's 40 CFR 261.7 says:

"A container... is empty if:

(I) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, e.g., pouring, pumping, and aspirating.

and

(II) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container. . ."


EPA has explained this rule, saying that "one inch of waste material is an overriding constraint and may remain in an empty container only if it cannot be removed by normal means. The rationale for this provision is that there are certain tars and other extremely viscous materials that will remain in the container even after the container is emptied by normal means."

For residues of products specifically listed by name in 40 CFR 261.33(e), EPA says the container is empty only "if the container... has been triple-rinsed using a solvent capable of removing" the product, or has been cleaned by another method shown to achieve equivalent removal.


\*\*DOT's 49 CFR 173.29 says that all openings on the empty container must be closed, and that all markings and labels must be in place as if the drum were full of its original contents. A DOT shipping paper is not required for transportation of a drum for reconditioning via contract or private motor carrier. DOT placarding is not required for vehicles carrying empty containers.

DEALER IN STEEL DRUMS





"DEALER IN STEEL DRUMS"



**SUPERIOR** BARREL AND DRUM CO. INC.  
P.O. BOX 741 • GLASSBORO, NJ 08028 • (856) 881-5866 • FAX (856) 863-1998

NAME

*Stem Bros.*

ADDRESS

CITY

STATE

ZIP

DATE

*3/27/01*

CUSTOMER PO

QUANTITY	DESCRIPTION	PRICE	AMOUNT
<i>57</i>	<i>my drums</i>	<i>N/E</i>	

REC'D.

*[Signature]*

### EMPTY DRUM CERTIFICATION

I hereby certify that these drums are "empty" as that term is defined in the National Environmental Protection Agency regulations, 40 CFR 261.7\*, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29.\*\*

Print Name

Signature

*[Signature]*

\*With regard to most regulated residues, EPA's 40 CFR 261.7 says:

"A container... is empty if:

(I) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, e.g., pouring, pumping, and aspirating.

and

(II) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container..."

EPA has explained this rule, saying that "one inch of waste material is an overriding constraint and may remain in an empty container only if it cannot be removed by normal means. The rationale for this provision is that there are certain tars and other extremely viscous materials that will remain in the container even after the container is emptied by normal means."

For residues of products specifically listed by name in 40 CFR 261.33(e), EPA says the container is empty only "if the container... has been triple-rinsed using a solvent capable of removing" the product, or has been cleaned by another method shown to achieve equivalent removal.

\*\*DOT's 49 CFR 173.29 says that all openings on the empty container must be closed, and that all markings and labels must be in place as if the drum were full of its original contents. A DOT shipping paper is not required for transportation of a drum for reconditioning via contract or private motor carrier. DOT placarding is not required for vehicles carrying empty containers.

"DEALER IN STEEL DRUMS"



Heating Oil ♦ Propane ♦ Gasolines ♦ Heating ♦ Cooling

---

760 Frenchtown Road, P.O. Box T, Milford, NJ 08848-0619

(908) 995-4825 • (908) 996-4441 • FAX (908) 996-3508

E-mail: [heating@stembrothers.com](mailto:heating@stembrothers.com) • Web site: [www.stembrothers.com](http://www.stembrothers.com)

33 Empty drums taken from plant to Superior Barrel & Drum, Glassboro,  
N.J.

*Patricia Mortensen*  
*[Signature]*



NAME Item Bros.

ADDRESS 760 Frenchtown Rd.

CITY Milford STATE Nh ZIP \_\_\_\_\_

DATE 6-25-99

CUSTOMER PO \_\_\_\_\_

[illegible]

REC'D

I hereby certify that these drums are "empty" as that term is defined in the National Environmental Protection Agency regulations, 40 CFR 261.7\*, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29.\*\*

Print Name \_\_\_\_\_

**Signature**

\*With regard to most regulated residues, EPA's 40 CFR 261.7 says:

"A container... is empty if:

(1) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, e.g., pouring, pumping, and aspirating.

and

(II) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container. . ."


EPA has explained this rule, saying that "one inch of waste material is an overriding constraint and may remain in an empty container only if it **cannot be removed** by normal means. The rationale for this provision is that there are certain tars and other extremely viscous materials that will remain in the container even after the container is emptied by normal means."

For residues of products specifically listed by name in 40 CFR 261.33(e), EPA says the container is empty only "if the container...has been triple-rinsed using a solvent capable of removing" the product, or has been cleaned by another method shown to achieve equivalent removal.

\*DOT's 49 CFR 173.29 says that all openings on the empty container must be closed, and that all markings and labels must be in place as if the drum were full of its original contents. A DOT shipping paper is not required for transportation of a drum for reconditioning via contract or private motor carrier. DOT placarding is not required for vehicles carrying empty containers.

"DEALER IN STEEL DRUMS"

6-2-95	13097	10-17-Hs	200-		200-			Stem Bros
DATE	INVOICE NUMBER	DETAIL	AMOUNT CHARGED	AMOUNT RECEIVED	YOUR NEW BALANCE	YOUR OLD BALANCE		NAME



(609) 881-5866

**SUPERIOR** Barrel and Drum Co., Inc.

New - Used - Reconditioned

P.O. BOX 741, GLASSBORO, NJ 08028

No 13097

NO. 011226

YOUR ORDER NO. Rusty


6-2-95 19

Stem Bros  
POB T  
Milford NJ  
08848

TERMS: Net 15

10	Record DOT 17-H drums	20-	200-
----	-----------------------	-----	------

6-7-95	13097	10-17-45	200-		200-		Stem Bros
DATE	INVOICE NUMBER	DETAIL	AMOUNT CHARGED	AMOUNT RECEIVED	YOUR NEW BALANCE	YOUR OLD BALANCE	NAME



(609) 881-5866

# SUPERIOR Barrel and Drum Co., Inc.

New - Used - Reconditioned

P.O. BOX 741, GLASSBORO, NJ 08028

No 13097

NO. 011226

YOUR ORDER NO. Rusty

Stem Bros  
P.O. B T  
Milford NJ  
08848

6-2-95 19


TERMS: Net 15

10 Record DOT 17-14 drums  
1492  
2010

20- 200-

Tom  
We have 30 M.T. Drums in  
pushing  
done 6/7/95

6-2-95	13097	10-17-Hs	200-		200-		Stem Bros
DATE	INVOICE NUMBER	DETAIL	AMOUNT CHARGED	AMOUNT RECEIVED	YOUR NEW BALANCE	YOUR OLD BALANCE	NAME



(609) 881-5866

**SUPERIOR** Barrel and Drum Co., Inc.

New - Used - Reconditioned

P.O. BOX 741, GLASSBORO, NJ 08028

No 13097

NO. 011226

YOUR ORDER NO. Rusty

Stem Bros  
POB T  
Milford 112  
08848

6-2-95 19

TERMS: Net 15

8/0	Recond DOT 17-H drums	20-	200-
-----	-----------------------	-----	------